



NASG Curved and Flat Transparent Armor Ballistic Table

NASG Product Code	Interior Surface **	Product Nominal Thickness mm	Weight lbs Per Sq Ft	VLT* Standard	VLT* High Visibility	Ballistic Rating	Ballistic Rating
VNC-20A	PC	20.53	8.46	84%	89%	EN 1063 BR4	
VNC-22A	PC	22.36	9.3	83%	88%	NIJ 0108.01 II	NIJ 0108.01 IIIA
VNC-32A	PC	33.25	14.57	78%	83%	NIJ 0108.01 IIIA	AK-47 (7.63 x 39) FMJ
VNC-34A	PC	34.72	15.53	77%	83%	EN 1063 BR5	
VPC-36A	PC	36.61	16.5	76%	82%	Custom	
VNC-39A	PC	39.82	17.71	75%	81%	EN 1063 BR6	
VNC-41A	PC	41.27	18.66	74%	80%	EN 1063 BR6	NIJ 0108.01 III
VNC-43A	PC	43.15	19.63	73%	79%	VPAM PM 7 NS	
VNC-52A	PC	53.07	24.72	67%	78%	NIJ Level IV	
VQC-76A	PC	76.24	34.75	60%	70%	EN 1063 BR7	

NASG Product Code	Interior Surface **	Product Nominal Thickness mm	Weight lbs Per Sq Ft	VLT* Standard	VLT* High Visibility	Ballistic Rating	Ballistic Rating
TPS-20A	Glass	21.85	9.33	79%		NIJ 0108.01 IIIA	NIJ 0108.01 II
TPS-31A	Glass	32.16	14.39	75%		NIJ 0108.01 IIIA	
TPS-40A	Glass	39.70	18.61	71%		NIJ 0108.01 III	

* VLT - Visual Light Transmittance - measured as percent of visible light transmitted through window

**PC - Hard Coated Polycarbonate

Transparent Armored Sales Manager:
 Mark Koder
 Cell: (484)-432-4254
 Email: mkoder@naspecialtyglass.com

NASG Holdings Inc.
 2175 Kumry Road
 Trumbauersville, PA 18970
 Office: 215-536-0333